

PPPL NONCONFORMANCE REPORT NO: 3747Open Date 01/28/08

Status9-Closed

Trend06-Workmanship/Needs Repair

DepartmentNCSX

DivisionConstruction

Source/OrgFab, Ops and Maint

Item Dwg/Part#Gantry Crane #10

Procurement #QC-ENG021

Cost CenterN/A

WBS/OtherWBS 185

RAP#1337

Job Doc #ENG021

Vendor

RAP TitleQC WITNESSING OF LIFTS AT PPPL

☐ HoldTag Applied

Nonconforming Condition (include requirement(s) violated):

Model #4015-10-A, B. E. Wallace Products Co.
Per ENG-021, Attachment 9, Periodic Inspections, the following deficiencies were noted: (1) At the base of the A-frame on one side, where the 2-1/2" pipes go into the collars above the wheels (2 locations), the welded joints from the pipes to the collars are cracked. (2) Two U-bolts attaching the lifting beam to the A-frame do not have full thread projection through the nuts (2 locations). See attached pictures.

Lot Size Recd0

Sample Size Insp0

☐ Lot Rejected

Rejected0

Reported ByGilton K

Validated ByBoscoe J

Validated Date01/28/08

Distribution	Cog	Insp
Proj. Doc Control (when closed)	M. Viola	Boscoe/Phelps
Gilton K	Edwards J	
Perry E	Dudek L	
Williams M	Simmons B	
Tyrrell M		

Disposition: Rework____ Repair ____ Use As Is____ Return to Vendor____ Scrap____

For rework or repair of vendor supplied equipment, fill in information below:

Hours _____ \$ Est Labor _____ \$ G&A _____
\$ Material _____ \$ Burden _____ \$ Total _____

Disposition by _____

Supervisor's Concurrence _____

Eng. Dept. Head Concurrence _____

Other (i.e., WCO/FPE) Concurrence _____


N/A


PQA/QC Mgr Disposition Concurrence _____

QA Field Verification by _____










MODEL 4015-10-A
CAP. 4000 LBS.



B. E. WALLACE PRODUCTS CO.
EXTON 14, PENNA.

The image shows a large, light-colored concrete beam spanning across the frame. Above the beam, there are industrial structures including pipes and a curved metal railing. Below the beam, the scene opens up to show a complex industrial environment with various pipes, valves, and structural elements. The entire image has a warm, yellowish-orange tint.





MODEL 4015-10-1
CAP. 4000 LBS.

CAUTION

644A

5-10-A
1.13S.





