

PAUL SINN TESTING SERVICES, INC.

This is to certify that

KEVIN ANDERSON


has successfully completed 16 hours classroom instruction and written examination requirements for qualification to ANSI/ASNT CP-189, NAS 410 Rev. 1 (June 2002) and MIL-STD-410 Level II Penetrant. Following are the scores for each examination.

EXAMINATION RESULTS

General	-----	90%
Specific	-----	83%
Practical	-----	100%

Dated: December 11, 2002


Quality Assurance Manager Paul W. Sinn
MetalTekInt - Carondelet Div. ASNT Level III Certificate #11955(MM-1337)



PAUL SINN TESTING SERVICES, INC.

This is to certify that



MARTHA COURTNEY


has successfully completed 16 hours classroom instruction and written examination requirements for qualification to ANSI/ASNT CP-189, NAS 410 Rev. 1 (June 2002) and MIL-STD-410 Level II Penetrant. Following are the scores for each examination.

EXAMINATION RESULTS

General	-----	77%
Specific	-----	83%
Practical	-----	100%

Dated: December 11, 2002


Quality Assurance Manager Paul W. Sinn

MetalTekInt - Carondelet Div-ASNT Level III Certificate #11955(MM-1337)



PAUL SINN TESTING SERVICES, INC.

This is to certify that

SHARON S. BADER

has successfully completed 8 hours classroom instruction and written examination requirements for qualification to ASNT SNT-TC-1A-1996, ANSI/ASNT CP-189, NAS 410 Rev. 1 (June 2002) and MIL-STD-410 Level II Penetrant. Following are the scores for each examination.


EXAMINATION RESULTS

General	-----	82%
Specific	-----	93%
Practical	-----	98%

Dated: December 11, 2002


Quality Assurance Manager
MetalTekInt - Carondelet Div


Paul W. Sinn
ASNT Level III Certificate #11955(MM-1337)



PAUL SINN TESTING SERVICES, INC.

This is to certify that


MARILYN BUTENSCHOEN


has successfully completed 8 hours classroom instruction and written examination requirements for qualification to ASNT SNT-TC-1A-1996, ANSI/ASNT CP-189, NAS 410 Rev. 1 (June 2002) and MIL-STD-410 Level II Penetrant. Following are the scores for each examination.

EXAMINATION RESULTS

General	85%
Specific	90%
Practical	100%

Dated: December 11, 2002


Quality Assurance Manager
MetallTekInt - Carondelet Div.
Paul W. Sinn
ASNT Level III Certificate #11955(MM-1337)



PAUL SINN TESTING SERVICES, INC.

This is to certify that


CLIFFORD COPELAND

has successfully completed 8 hours classroom instruction and written examination requirements for qualification to ASNT SNT-TC-1A-1996, ANSI/ASNT CP-189, NAS 410 Rev. 1 (June 2002) and MIL-STD-410 Level II Penetrant. Following are the scores for each examination.

EXAMINATION RESULTS

General	85%
Specific	83%
Practical	98%


Dated: December 11, 2002



Quality Assurance Manager

MetalTekInt - Carondelet Div.

Paul W. Sinn
ASNT Level III Certificate #11955(MM-1337)





Carondelet Division

CERTIFIES THAT

ROBERT E. CARLTON

HAS SUCCESSFULLY MET THE TRAINING & QUALIFICATION REQUIREMENTS FOR
LEVEL II IN THE PENETRANT METHOD

IN ACCORDANCE WITH ANSI/ASNT CP-189, SNT-TC-1A, MIL-STD-410E, NAS-410

GENERAL ___ 82% ___ SPECIFIC ___ 70% ___ PRACTICAL ___ 93% ___ COMPOSITE ___ 82% ___

A handwritten signature in black ink, appearing to read "Ricardo M. Suria".

Ricardo M. Suria Corporate Level III

A handwritten signature in black ink, appearing to read "Ricardo M. Suria".

Quality Assurance Manager Metaltek Int - Carondelet Div.

10-03-03

Date

10/3/03

Date

MetalTek
INTERNATIONAL
Carondelet Division

CERTIFIES THAT

Tom Chapman

HAS SUCCESSFULLY MET THE TRAINING & QUALIFICATION REQUIREMENTS FOR
LEVEL II IN THE PENETRANT METHOD
IN ACCORDANCE WITH SNT-TC-1A

GENERAL 76% SPECIFIC 73% PRACTICAL 93% COMPOSITE 81%


Ricardo M. Suria Corporate Level III

Quality Assurance Manager MetalTekInt - Carondelet Div.

Date

6/15/04

Date

6/15/04



Carondelet Division

CERTIFIES THAT

Mike Pymale


HAS SUCCESSFULLY MET THE TRAINING & QUALIFICATION REQUIREMENTS FOR

LEVEL II IN THE PENETRANT METHOD

IN ACCORDANCE WITH SNT-TC-1A

GENERAL ___ 91% ___ SPECIFIC ___ 90% ___ PRACTICAL ___ 96% ___ COMPOSITE ___ 92% ___


Ricardo M. Suria NDT Level III #131591


Quality Assurance Manager MetalTekInt - Carondelet Div.

3/15/05 Date
3/15/05 Date