

DETAIL X
SCALE 2.00





NOTES:

1. INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y14.5M
2. DIMENSIONS ARE IN INCHES
3. DIMENSIONS APPLY AT TEMPERATURE OF 20-30°C (68-86°F)
4. APPROXIMATE TOTAL WEIGHT = 10 lbs
5. MAGNETIC PERMEABILITY SHALL NOT EXCEED 1.02 AS TESTED ON A SEVERN INDICATOR AVAILABLE FROM :
   SEVERN ENGINEERING
   555 OLD STAGE ROAD
   AUBURN, ALABAMA 36830



ISOMETRIC VIEW
SCALE 0.50



DETAIL A
SCALE 2.00



1 SCALE: 1.00

SECTION A-A

		3	SE124-075	VERTICAL UPPER SUPPORT STUD			22
		2	#92313A535	1/4-20 UNC X .375 LNG SET SCREW	MCMASTER-CARR P.O.BOX 549670 LOS ANGELES, CA. 90054-0960		21
		1	SE124-081	2.5 OD X 1.25 ID X .125 THK FLAT WASHER	UNS S31600	ANSI B18.22.1	20
		2	SE124-079	2.50D X 1.25 ID DISC SPRING	KEY BELLEVILLE K2500-M-175-1		19
1		2	SE124-082	2.25 OD X 1.125 ID DISC SPRING	KEY BELLEVILLE K2250-L-168-1		18
		1	SE124-078	2.25 OD X 1.25 ID X .125 THK FLAT WASHER	UNS S31600	ANSI B18.22.1	17
		1	SE124-076	VERTICAL UPPER SUPPORT SPACER			16
2		1	#98355A240	COTTER PIN 3/16 X 1-1/2 316 SST	MCMASTER-CARR P.O.BOX 549670 LOS ANGELES, CA. 90054-0960		15
		1	Ø.75	WASHER, FLAT	300 SERIES SST	ANSI B18.22.1	14
		1	SE124-069	VERTICAL UPPER SUPPORT INSULATION WASHER			13
		1	SE124-068	VERTICAL UPPER SUPPORT INSULATION SPHERICAL WASHER			12
1		9	#94805A217	VERTICAL UPPER SUPPORT JAM NUT	MCMASTER-CARR P.O.BOX 549670 LOS ANGELES, CA. 90054-0960		11
		1	SE124-065	VERTICAL UPPER SUPPORT INSERT			10
1		1	SE124-055	VERTICAL SUPPORT CLEVIS			9
		~~3~~	~~SE124-037~~	~~VERTICAL UPPER SUPPORT STUD~~			~~8~~
		1	SE124-036	VERTICAL UPPER SUPPORT RETAINER RING			7
		1	SE124-034	VERTICAL UPPER SUPPORT SPHERICAL NUT			6
		1	SE124-033	VERTICAL UPPER SUPPORT SPHERICAL BEARING			5
		1	SE124-020	VERTICAL UPPER SUPPORT ROD			4
		1	SE124-014	VERTICAL SUPPORT ROD END, FEMALE			3
		1	SE124-013	VERTICAL SUPPORT CLEVIS PIN			2
	AR	X	-1	VERTICAL UPPER SUPPORT ASSEMBLY			1
Next Assy	SE100-002	-1	CAGE CODE	PART OR IDENTIFYING NO	NOMENCLATURE OR DESCRIPTION	MATERIAL / SPECIFICATION	FIND NO

← NEXT ASSEMBLY

PARTS LIST

RELEASED FOR FABRICATION / INSTALLATION
PPPL Drafting: jerome siegel

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF, ANY INFORMATION, APPARATUS, METHOD OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDER ARE NOT TO BE USED FOR OTHER PURPOSES, AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

P THIS DRAWING PRODUCED ON PRO-ENGINEER

REV	DESCRIPTION	BY	DATE	CHK	DEPT	DATE	PE	REQ	DATE	ORNL	DOE	DATE
2	COTTER PIN WAS HAIRPIN, PER ECN# 5379	WDM	07-08									
1	REVISE ASM AND DRAWING PER ECN 5283	GLL	09-07	MJC			PG					
0	ORIGINAL ISSUE	GHJ	3/3/05									

REVISION OR ISSUE PURPOSE — REVISION APPROVAL

SCALE NOTED

TOLERANCES UNLESS OTHERWISE SPECIFIED

FRACTIONS	.
XX DECIMALS	±.01
XXX DECIMALS	±.005
ANGLES	±0°15'
BREAK SHARP EDGES	.06 MAX
FINISH	125 UNLESS OTHERWISE SPECIFIED

DRAWING APPROVALS		DATE
DES	PAUL MILLER	08-17-04
DRW	PAUL MILLER	08-17-04
CHK	J.M.RAY	04-07-05
SECT	:	:
DEPT	:	:
PE	:	:
CR	:	:
PJ	:	:
REQ	:	:
PPPL DRFT	:	:
	:	:
	:	:

UT-BATTELLE
Oak Ridge National Laboratory
managed for the DEPARTMENT OF ENERGY under
U.S. GOVERNMENT contract DE-AC05-00OR22725
UT-BATTELLE, LLC. Oak Ridge, Tennessee

PROJECT NAME: NATIONAL COMPACT STELLARATOR EXPERIMENT

VERTICAL UPPER SUPPORT ASSEMBLY

VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS
2	X10	5700	3	1 1	A	U

RELEASE LEVEL: Fabrication

SE124-051 REV 2

SE124-051