

<b>Status</b>	2 - Disposition Needed		<b>Trend</b>	01-Deviation From Doc/Proc	
<b>Department</b>	NCSX		<b>Division</b>	WBS 141	
<b>Source/Org</b>	VENDOR				
<b>Item Dwg/Part#</b>		<b>Procurement #</b>	S005242-F	<b>Cost Center</b>	9450 1*** 1404
<b>RAP#</b>	3209	<b>Job Doc #</b>	S005242-F	<b>Vendor</b>	Energy Industries of Ohio
<b>RAP Title</b> NCSX - Modular Coil Winding Forms					

☐ HoldTag Applied

**Nonconforming Condition (include requirement(s) violated):**

MCWF-A5, During the magnetic permeability verification of the NCSX A5 modular coil winding form a total of seven (7) areas were found to exhibit a magnetic permeability above the maximum allowed. NCSX-CSPEC-141-03-11 paragraph 3.1.1.5.1 states "the local relative magnetic permeability of any point in the winding form (including base metal and weld repairs) shall not exceed 1.02 Mu."

Four tooling ball inserts were left inserted in the casting from the vendor, these inserts are above the maximum magnetic permeability allowed of 1.02 Mu.

Representative pictures are attached.

<b>Lot Size Recd</b>	0	<b>Sample Size Insp</b>	0	<input type="checkbox"/> Lot Rejected	<b># Rejected</b>	0
<b>Reported By</b>	Phelps C	<b>Validated By</b>	Malinowski F	<b>Validated Date</b>	03/08/07	

~~Disposition: Rework\* \_\_ Repair\* \_\_ Use As Is\* \_\_ Return To Vendor\* \_\_ Scrap\* \_\_~~

*Please use p. 2 for disposition and approvals.*

~~For rework or repair of vendor supplied equipments, fill in information below:~~

<b>#Hours</b>	_____	<b>\$Est Labor</b>	_____	<b>\$G&amp;A</b>	_____
<b>\$Material</b>	_____	<b>\$Burden</b>	_____	<b>\$Total</b>	_____

<b>Disposition By</b>	_____	<b>Date</b>	_____
<b>Supervisor's Concur</b>	_____	<b>Date</b>	_____
<b>Eng. Dept. Head Concur</b>	_____	<b>Date</b>	_____
<b>WCO/Other</b>	_____	<b>Date</b>	_____

<b>PQA/QC Mgr Dispos Concur</b>	_____	<b>Date</b>	_____
<b>QC Field Verification By</b>	_____	<b>Date</b>	_____

**Distribution**

**Cog** Heitzenroeder P  
**Insp** Phelps C  
 Proj. Doc Control (when closed)  
 QC Files  
 Malsbury J  
 Boscoe J  
 Chrzanowski J  
 Sutton L  
 Malinowski F  
 Lumberger J  
 Reiersen W  
 Nelson B  
 Williams M  
 Tyrrell M

Disposition: Rework\_\_\_\_ Repair \_\_\_\_ Use As Is\_\_\_\_ Return to Vendor\_\_\_\_ Scrap\_\_\_\_

---

For rework or repair of vendor supplied equipment, fill in information below:

# Hours \_\_\_\_\_ \$ Est Labor \_\_\_\_\_ \$ G&A \_\_\_\_\_  
\$ Material \_\_\_\_\_ \$ Burden \_\_\_\_\_ \$ Total \_\_\_\_\_

---

Disposition by \_\_\_\_\_

~~Supervisor's Concurrence~~ \_\_\_\_\_

Eng. Dept. Head Concurrence \_\_\_\_\_

Other (i.e., WCO/FPE) Concurrence \_\_\_\_\_

---

PQA/QC Mgr Disposition Concurrence \_\_\_\_\_

QA Field Verification by \_\_\_\_\_









