





↓
 1/2" - TYP. SOURCE PLACEMENT



①
 SCALE 2:00

I am approving this
 document
 Bryan S.
 2006.03.27 14:43:57
 -0600'

- NOTES:
1. DRAWING PREPARED IN ACCORDANCE WITH ASME Y14.100.
 2. INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M.
 3. DIMENSIONS ARE IN INCHES.
 4. DIMENSIONS APPLY AT ROOM TEMPERATURE. OPERATING TEMP. 80K.
 5. SEE LATEST REVISION OF SPECIFICATION NCS-CSPC-141-03 FOR ADDITIONAL REQUIREMENTS.

22 Jerry Siegel

REV	DATE	BY	DESCRIPTION	APPROVED
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				

SCALE 2:00

NATIONAL COMPACT SYLLABIC EQUIPMENT

BEARING PLATE DETAIL

TYPE "A" SHORT

SET 41-141

P THIS DRAWING APPROVED ON PRO-DRAWER