

INSPECTION DATA CHECKLIST

Workorder: 65706/2-0 Sub:18 Op:10

Revision: 03/08/05 6:03

Part: - - PQR433

Drawing ID: PQR433-MAG-PERMEABILITY Rev: --			INSPECTION INSTRUCTIONS			RESULTS		INSPECTED BY		
SHEET	ZONE	CHARACTERISTIC	GAGE/EQUIP	BY	SAMPLE	SER#	DATA/REMARKS	INSP	VERFD	AUDIT
1 (1)	3D	Local relative magnetic permeability at locaction #1 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	1.01	085-D.G 03-03-05		
1 (2)	3D	Local relative magnetic permeability at locaction #2 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	1.02	085-D.G 03-08-05		
1 (3)	2D	Local relative magnetic permeability at locaction #3 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	1.02	085-D.G 03-08-05		
1 (4)	2D	Local relative magnetic permeability at locaction #4 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	1.01	085-D.G 03-03-05		
1 (5)	3B	Local relative magnetic permeability at locaction #17 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	1.01	085-D.G 03-03-05		
1 (6)	3B	Local relative magnetic permeability at locaction #18 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	1.01	085-D.G 03-03-05		
1 (7)	2B	Local relative magnetic permeability at locaction #19 shall not exceed 1.02.	MASTER GAGE	QA	7	J-1165	1.02	085-D.G 03-08-05		
1 (8)	2B	Local relative magnetic permeability at locaction #20 shall not exceed 1.02.	MASTER GAGE	QA		J-1165	1.01	085-D.G 03-08-05		

* To Far Right Indicates Data Package Requirement

NOTE: the recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal statutes including federal law, title 18, chapter 47.