

# INSPECTION DATA CHECKLIST

Workorder: 65706/2-0 Sub:28 Op:10

Revision:

Part: - - PQR437

Drawing ID: PQR433-MAG-PERMEABILITY Rev: --			INSPECTION INSTRUCTIONS			RESULTS		INSPECTED BY			
SHEET	ZONE	CHARACTERISTIC	GAGE/EQUIP	BY	SAMPLE	SER#	DATA/REMARKS	INSP	VERFD	AUDIT	
1 (1)	3D	Local relative magnetic permeability at location #1 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (2)	3D	Local relative magnetic permeability at location #2 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (3)	2D	Local relative magnetic permeability at location #3 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (4)	2D	Local relative magnetic permeability at location #4 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (5)	3B	Local relative magnetic permeability at location #17 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (6)	3B	Local relative magnetic permeability at location #18 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (7)	2B	Local relative magnetic permeability at location #19 shall not exceed 1.02.	MASTER GAGE	QA	7	J-1165	LESS THAN 1.01	840-G.M 07-18-05			A
1 (8)	2B	Local relative magnetic permeability at location #20 shall not exceed 1.02.	MASTER GAGE	QA		J-1165	LESS THAN 1.01	840-G.M 07-18-05			A

Employees: 840-G.Masood

\* To Far Right Indicates Data Package Requirement

NOTE: the recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal statutes including federal law, title 18, chapter 47.