

Workorder: 65706/2-0 Sub:18 Op:25

Revision: 02/25/05 15:12

Part: - - PQR433

Drawing ID: PQR433-MAG-PERMEABILITY Rev: --		INSPECTION INSTRUCTIONS			RESULTS		INSPECTED BY				
SHEET	ZONE	CHARACTERISTIC	GAGE/EQUIP	BY	SAMPLE	SER#	DATA/REMARKS	INSP	VERFD	AUDIT	
1 (1)	C3	Local relative magnetic permeability at location #5 shall not exceed 1.02.	MASTER GAGE	QA		J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (2)	3C	Local relative magnetic permeability at location #6 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (3)	3C	Local relative magnetic permeability at location #7 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (4)	3C	Local relative magnetic permeability at location #8 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (5)	3C	Local relative magnetic permeability at location #9 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (6)	3C	Local relative magnetic permeability at location #10 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (7)	3C	Local relative magnetic permeability at location #11 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (8)	3C	Local relative magnetic permeability at location #12 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1 (9)	3C	Local relative magnetic permeability at location #13 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E 03-18-05			A
1	3C	Local relative magnetic permeability at	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E			A

\* To Far Right Indicates Data Package Requirement

NOTE: the recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal statutes including federal law, title 18, chapter 47.

**INSPECTION DATA CHECKLIST**

(10)		location #14 shall not exceed 1.02.						03-18-05		
1	3C	Local relative magnetic permeability at location #15 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E		A
(11)		location #15 shall not exceed 1.02.						03-18-05		
1	3C	Local relative magnetic permeability at location #16 shall not exceed 1.02.	MASTER GAGE	QA	1	J-1165	ACCEPTED	581-D.E		A
(12)		location #16 shall not exceed 1.02.						03-18-05		

\* To Far Right Indicates Data Package Requirement