





- NOTES:
1. INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y14.5M
  2. DIMENSIONS ARE IN INCHES
  3. DIMENSIONS APPLY AT ROOM TEMPERATURE. OPERATING TEMP 80 K
  4. GEOMETRY IS DEFINED IN PRO ENGINEER CAD MODELS/FILES
  5. DRAWING AND MODELS COMBINED DEFINE FINISHED MACHINED PART
  6. SPRING CONSTANT K=7600 LBS/IN



AR	SEI405-258P	WASHER, BELLEVILLE, 3/4 OD, 3/8 ID	BERYLLIUM COPPER	K=7600 LBS/IN	
SEI405-258P	← NEXT ASSEMBLY	PARTS LIST			

NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY, COMPLETENESS OR USEFULNESS OF THE INFORMATION OR STATEMENTS CONTAINED IN THESE DRAWINGS, OR THAT THE USE OR DISCLOSURE OF ANY INFORMATION, APPARATUS, METHOD OR PROCESS DISCLOSED IN THESE DRAWINGS MAY NOT INFRINGE PRIVATE RIGHTS OF OTHERS. NO LIABILITY IS ASSUMED WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF, ANY INFORMATION, APPARATUS, METHOD OR PROCESS DISCLOSED IN THESE DRAWINGS. DRAWINGS MADE AVAILABLE FOR INFORMATION TO BIDDER ARE NOT TO BE USED FOR OTHER PURPOSES, AND ARE TO BE RETURNED UPON REQUEST OF THE FORWARDING CONTRACTOR.

**P** THIS DRAWING PRODUCED ON PRO-ENGINEER

REV	DESCRIPTION	BY	DATE	CHK	DEPT	DATE	PE	REQ	DATE	ORNL	DOE	DATE
	REVISION OR ISSUE PURPOSE <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td>											

SCALE: 8	DES: PAUL MILLER 4-12-04	<b>UT-BATTELLE</b> Oak Ridge National Laboratory managed for the DEPARTMENT OF ENERGY under U.S. GOVERNMENT contract DE-AC05-00OR22725 UT-BATTELLE, LLC, Oak Ridge, Tennessee PROJECT NAME:
TOLERANCES UNLESS OTHERWISE SPECIFIED:	DRW: PAUL MILLER 4-14-04	
FRACTIONS: ± .01	CHK: :	
XX DECIMALS: ± .005	SECT: :	
XXX DECIMALS: ± .0005	DEPT: :	
ANGLES: ± 0'15"	PE: :	NATIONAL COMPACT STELLARATOR EXPERIMENT
BREAK SHARP EDGES: 06 MAX	CR: :	WASHER, BELLEVILLE, 3/4 OD, 3/8 ID
FINISH: ± .001 UNLESS OTHERWISE SPECIFIED	PJ: :	
	RED: :	
	PPPL DRFT: :	VERSION NO. 3
		PLANT X-10
		BLDG 5700
		FL 3
		SHT 1
		TYPE 1
		CLASS U
		RELEASE LEVEL WIP
		SEI405-258P
		REV 0