## NCSX June 2007 ETC TABLE I - DESIGN LABOR

				1			1			1						1	-	1			1	1
	S Number: 61		l		ļ	ļ	ļ			ļ												
٧B	S Title: Water Cooling	Syste	ms																			
lob	Number: 6101																					
	Title: Water Cooling S	Sveten	ne														1					
																	+					
aor	Manager: Larry Dudel	ĸ			ļ	ļ	ļ															
				-																		
-				1	1		1			1		1					+					
			FY07\$K					HOURS														
		\$1	1000	) 1716	1716	1716	168.7	168.7	156.5	128.59	108.44	78.33	180.79	116.7	168.88	138.6 138.	6 78.33	7	780.468			
	TASK DESCRIPTION	41MS		37STK	35TRV L	310T	ORNLE M	M ORNLD SN	EMEM	EMSM	EMSB	EMTB	EAEM	EASB	EEEM	EESM EESB	EETB			В	asis of Estimae	ae
							1															1
esign	ן																					
	Final Design (Field Run)								20					80				Base	d on engir	neering judg	ement from e	perience on NSTX
					ļ	ļ				ļ												
rocru	rement & Fabrication/Installation																					
	Procurement lead time and award				<u> </u>		1		20	1							1					
					Į		ļ			Į							ļ					
	3/4" Cu Pipe x 50 ft	\$250			ļ	Į	ļ			Į	ļ	8		ļ					d on Mea			
	Solder Joints ( 25 ) Valves	\$100			ļ							16 8						· · · · · · · · · · · · · · · · · · ·	d on Mea d on Mea			
	Elbows	\$100										о 8							d on Mea			
	Tees	\$10			<u>†</u>		1			1		- 8					1		d on Mea			
	New Instrumentation	\$1,500			1		1		20			80						Base	d on Mea	ns		
	Backflow preventer	\$500					ļ		8	2		16		ļ					d on Mea			
	Heat Exchanger	\$500			ļ	ļ			8 8			16 8		ļ				Base	d on Mea	ns		
	Pump	\$100				<u>.</u>			8			8									•••••••	
				1	<u> </u>					1							1					1
				<u>.</u>	(																	
	esting			Ļ	Ļ	ļ	ļ			ļ	ļ											ļ
	Test				ļ		ļ		8	<u>.</u>		40										
																						+
					<u> </u>												1					1
	TOTALS	\$2,970	0	0	0	0	0	0	92	0	0	208	0	80	0	0	0 0		ļ			
	IUIALS	\$ <b>∠,</b> 970	U	U	U	U	U	U	92	U	v	200	U	00	v	v	0 0					
				1	<u> </u>	<u> </u>	1			<u> </u>							1				1	
					ļ	<u> </u>													·····		••	
Ĩ					1	[	]			1		T			l l		1		T			