

**Rev 2-e: ECN-5021 (RFD-12-017)** approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.

#### ISOMETRIC VIEW

DATUM "A" = PLANE THRU "XY"  
DATUM "B" = PLANE THRU "XZ"  
DATUM "C" = PLANE THRU "YZ"

REF ID	QTY	PART OR IDENTIFYING NO	NOMENCLATURE OR DESCRIPTION	MATERIAL	SPECIFICATION	FIND NO	PARTS LIST	
							NEXT ASS'Y	CAGE CODE
34	-57	SILVER PLATED, 12-POINT BOLTS, .50-20UNF, 2.00 LG	INCO 718	ASTM A1014	57			
218	-56	WASHER, Ø0.531 ID X Ø1.062 OD X .095 THICK	A286	ANSI 18.22.1	56			
184	-55	NUT, 0.50 X 20UNF	GRADE 8	ASTM A194	55			
2	SE121-095	VACUUM VESSEL SEAL DETAIL			54			
1	-53	O-RING, METAL, HELICOFLEX TYPE HNV	HELICOFLEX PO BOX 9889 COLUMBIA, SC 29209 PHONE # 1-800-233-1722		53			
1	-52	O-RING, METAL, HELICOFLEX TYPE HNV			52			
2	-51	CLEVIS BOSS "D"	UNS N06625		51			
2	-50	CLEVIS BOSS "C"	UNS N06625		50			
2	-49	CLEVIS BOSS "B"	UNS N06625		49			
2	-48	CLEVIS BOSS "A"	UNS N06625		48			
40	-47	BUTTON HD CAP SCREW #8-32UNC X .25 LG	300 SERIES SST		47			
2	-46	O-RING, .211 OD, 95.51 LG +0.0/-0.25	VITON		46			
2	-45	O-RING, .211 OD, 90.93 LG +0.0/-0.25	VITON		45			
2	-44	O-RING, .211 OD, 117.82 LG +0.0/-0.25	VITON		44			
2	-43	O-RING, .211 OD, 113.23 LG +0.0/-0.25	VITON		43			
2	-42	O-RING, .211 OD, 63.12 LG +0.0/-0.25	VITON		42			
2	-41	O-RING, .211 OD, 53.53 LG +0.0/-0.25	VITON		41			
		CAGE CODE	PART OR IDENTIFYING NO	NOMENCLATURE OR DESCRIPTION	MATERIAL	SPECIFICATION	FIND NO	
			NEXT ASSEMBLY					

SCALE: .06 WEIGHT: 7147 LBS

**RELEASED FOR FABRICATION / INSTALLATION**  
PPPL Drafting:

**Rev 2-a: ECN-4972 (RFD-12-002R1)**  
approved substitution of Schedule 10 for Schedule 40 piping – Applicable to All 3 VVSAs.

**Rev 2-b: ECN-5113 (RFD-12-009)**  
authorized leaving holes "as is", but utilizing MDC bolt hardware kit 190045 – Applicable to All 3 VVSAs.

**Rev 2-c: ECN-5115 (RFD-12-016)**  
approved modifying weld to fillet welds to the opposite side of the groove weld and to relax the flatness requirement to 0.050" if opposing side fillets applied – Applicable to All 3 VVSAs.

**Rev 2-d: ECN-5082 (RFD-12-014)**  
eliminated weld relief originally requested by MTM since they elected to pursue other means of leak checking. Grooves no longer required. – Applicable to All 3 VVSAs.

#### NOTES:

1. INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y14.5M.
2. DIMENSION ARE IN INCHES.
3. FABRICATION, INSPECTION, TESTING SHALL BE PERFORMED IN ACCORDANCE WITH SPECIFICATION NCSX-CSPC-121-02 AND STATEMENT OF WORK NCSX-SOW-121-03.
4. PROFILE TOLERANCE ON OUTER VACUUM SURFACE IS BILATERAL, i.e. 0.1875 EITHER SIDE OF REFERENCE SURFACE.
5. THE MINIMUM THICKNESS AFTER FORMING SHALL BE .338. THINNING BELOW THE STOCK THICKNESS SHALL NOT OCCUR OVER MORE THAN 10% OF THE TOTAL POLOIDAL CIRCUMFERENCE OF ANY CROSS-SECTION.
6. PORT LENGTH DIMENSIONS SHOWN ARE FINAL DIMENSIONS AFTER PORTS ARE CUT OFF AND REASSEMBLED. TOLERANCE OF LENGTH IS  $\pm 0.125$ . INSPECTED DIMENSION SHALL BE AS SHOWN ON DRAWING PLUS 0.50".
7. PORT 4 DIMENSIONS SHOWN ARE INSPECTED DIMENSIONS.
8. SUPPLIED BY PPPL
9. ALL DIMENSIONS TO BE MET AT DWG SE120-002.

10. REDUCING NIPPLES ARE OPTIONAL. BLANK FLANGES MAY BE SUBSTITUTED.

11. A TOLERANCE DEVIATION OF  $+ 3/16 - 7/16$  AT THE PERIMETER OF PORT 4 AND PORT 12 WHICH RETURNS TO THE NOMINAL SHELL PROFILE WITHIN 8" OF THE PREIMETER OF THE PORT, WILL BE ACCEPTED.

12. A TOLERANCE DEVIATION OF  $+ 3/16 - 5/16$  AT THE PERIMETER OF THE ROUND PORTS, NB PORT, AND THE DOME PORT, WHICH RETURNS TO THE NOMINAL SHELL PROFILE WITHIN 8" OF THE PREIMETER OF THE PORT, WILL BE ACCEPTED.

1	191094	GASKET, COPPER 10.00 ID, PKG 10 REF 12 FLG	40
1	191019	GASKET, COPPER 8.01 ID, PKG 10 REF 10 FLG	39
1	191017	GASKET, COPPER 6.01 ID, PKG 10 REF 8.00 FLG	38
1	191013	GASKET, COPPER 4.01 ID, PKG 10 REF 6.00 FLG	37
1	191011	GASKET, COPPER 3.01 ID, PKG 10 REF 4.63 FLG	36
10	190059	BOLT SET 8.00 OD & 10.00 ID FLG 12PT BOLT, SILVER PLTG, PKG 25	35
12	190058	BOLT SET 4.63 OD & 6.00 ID FLG 12PT BOLT, SILVER PLTG, PKG 25	34
4	190165	HEX HD, .312-24UNC, 2.00 LG PKG 36 WITH NUTS & FLAT WASHERS	33
184	-32	SILVER PLATED, 12-POINT BOLTS, .50-20UNF, 3.5 LG GRADE 660 ASTM A 453	32
10	2	FA10000133 REDUCING NIPPLE 10.00 TO 1.33	31
4	FA08000133	REDUCING NIPPLE 8.00 TO 1.33	30
10	2	FA06000133 REDUCING NIPPLE 6.00 TO 1.33	29
2	FA04620133	REDUCING NIPPLE 4.63 TO 1.33	28
4	130093	CONFLAT, 12.00 OD, TAPPED	27
2	130033	CONFLAT, 10.00 OD, TAPPED	26
4	130031	CONFLAT, 8.00 OD, TAPPED	25
10	130026	CONFLAT, 6.00 OD, TAPPED	24
2	130022	CONFLAT, 4.63 OD, TAPPED	23
2	SE121-013	VACUUM VESSEL FLANGE DETAIL ELLIPTICAL HD, 18.00 OD X .375 WALL BRIGHTON TRU-EDGE HEADS 4955 SPRING GROVE AVE CINCINNATI, OH 45232 PHONE # 800 543-1644	22
AR	-19	TUBE, 10.00 X .250 WALL UNS 06625	21
AR	-18	TUBE, 8.00 X .188 WALL UNS 06625	20
AR	-17	TUBE, 6.00 X .188 WALL UNS 06625	19
AR	-16	PIPE, 2.5 SCH 40 UNS 06625	18
AR	-15	PIPE, 3.5 SCH 40 UNS 06625	17
AR	-14	PLATE, .500 THK UNS 06625	16
AR	-13	PLATE, .375 THK UNS 06625	15
4	SE122-112	VACUUM VESSEL 12 IN COVER TEST FLANGE DETAIL	14
2	SE121-102	VACUUM VESSEL BLANK OFF COVER SEAL WELDMENT	13
1	SE122-172	VACUUM VESSEL NB PORT COVER TEST FLANGE DETAIL	12
1	SE122-173	VACUUM VESSEL PORT NB SEAL RETAINER DETAIL	11
1	SE122-072	VACUUM VESSEL PORT NB FLANGE DETAIL	10
2	SE122-149	VACUUM VESSEL PORT 4 COVER TEST FLANGE WELDMENT	9
2	SE122-057	VACUUM VESSEL PORT 4 SEAL RETAINER DETAIL	8
2	SE122-049	VACUUM VESSEL PORT 4 FLANGE DETAIL	7
2	SE122-104	VACUUM VESSEL PORT 12 COVER TEST FLANGE WELDMENT	6
2	SE122-019	VACUUM VESSEL PORT 12 SEAL RETAINER DETAIL	5
2	SE122-018	VACUUM VESSEL PORT 12 FLANGE DETAIL	4
-	-	VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY	3
SE120-003	CAGE CODE	PART OR IDENTIFYING NO NOMENCLATURE OR DESCRIPTION MATERIAL SPECIFICATION FIND NO	2
SE120-003	CAGE CODE	PART OR IDENTIFYING NO NOMENCLATURE OR DESCRIPTION MATERIAL SPECIFICATION FIND NO	1

**WELDING ENGINEER**  
APPROVED R. PARSELLS DATE: 6/04

SCALE	NOTED	DES P. L. GORANSON	12/02
TOLERANCES UNLESS OTHERWISE SPECIFIED	DRW M. J. COLE & G. H. JONES	12/02	Oak Ridge National Laboratory managed for the DEPARTMENT OF ENERGY under U.S. GOVERNMENT contract DE-AC05-00OR22725
CHK :	UT-BATTELLE, LLC., Oak Ridge, Tennessee	:	PROJ. NAME
SECT :			NATIONAL COMPACT STELLATOR EXPERIMENT
FRACTIONS :	DEPT :	:	VACUUM VESSEL
XX DECIMALS .00	PE :	:	PERIOD INSPECTION AND LEAK CHECK
XXX DECIMALS .0005	CR :	:	ASSEMBLY
ANGLES $\pm 0^{\circ}15'$	PJ :	:	
BREAK SHARP EDGES .06 MAX	REQ :	:	
FINISH .125 UNLESS OTHERWISE SPECIFIED	PPPL DRFT	:	
REVISION NO. 5	RELEASE LEVEL	DATE	CLASS
PLANT X-10	Fabrication	SE120-004	REV 2
BLDG 5700			
FL 3			
SHT 1			
SHT OF 19			
TYPE A			
U			
REV 2			
DRAWING APPROVALS			
DATE			

8

7

6

5


4

3


2

NEXT ASS'Y:  
1 FINAL ASS'Y:

FOR NOTES AND PARTS LIST SEE SHEET 1



TOP VIEW


SECTION L-L  
VESSEL THICKNESS

**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLERATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	REV	
5	X-10	5700	3	2	19	A	Fabrication	SE120-004	2

8 7 6 5 4 3 2 1 NEXT ASS'Y: FINAL ASS'Y:

FOR NOTES AND PARTS LIST SEE SHEET 1




**RELEASED FOR  
FABRICATION / INSTALLATION**


PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLARATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	PROJECT NAME	MANUFACTURER
5	X-10	5700	3	3 19	A	U	Fabrication	SE120-004	Oak Ridge National Laboratory managed for the DEPARTMENT OF ENERGY under U.S. GOVERNMENT contract DE-AC05-00OR2725 UT-BATTELLE, LLC., Oak Ridge, Tennessee



TYPICAL PORT 2A AND 2B  
SECTION PORT02-PORT02



TOP VIEW









**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**

DETAIL X  
SCALE 1.00DETAIL Y  
SCALE 1.00

**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLARATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	DATE	REVISION
5	X-10	5700	3	4	19	A	Fabrication	SE120-004	RW 2



**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLERATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY							
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	
5	X-10	5700	3	5	19	A	REV 2
RELEASE LEVEL	Fabrication						SE120-004

8

7





6

5

4

3

2

NEXT ASS'Y:  
1 FINAL ASS'Y:

**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLARATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	PROJ. NAME	DATE
5	X-10	5700	3	6	19	A	Fabrication	SE120-004	REV 2

---

8

---

1

---

1

1

---

—

---

1


---

—


---

1 FINAL ASS'Y:

NEXT ASS'Y:




## BOTTOM VIE'





# TYPICAL PORT 6A AND 6B SECTION PORT06 - PORT06

**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**



**RELEASED FOR  
FABRICATION / INSTALLATION**


<b>UT-BATTELLE</b>		Oak Ridge National Laboratory managed for the DEPARTMENT OF ENERGY under U.S. GOVERNMENT contract DE-AC05-00OR22725 UT-BATTELLE, LLC. Oak Ridge, Tennessee					
PROJECT NAME							
NATIONAL COMPACT STELLARATOR EXPERIMENT							
VACUUM VESSEL							
PERIOD INSPECTION AND LEAK CHECK							
ASSEMBLY							
VERSION NO.	PLANT	BLDG	FL	SHT	OF	TYPE	CLASS
5	X-10	5700	3	7	19	A	U
RELEASE LEVEL		SEI20-004				REV	
Fabrication						?	




TYPICAL PORT 7A AND 7B  
SECTION PORT07-PORT07

**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 1946.**

FOR PARTS LIST AND NOTES SEE SHEET I.




DETAIL X  
SCALE 1.00




DETAIL Y  
SCALE 1.00

**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:



OAK RIDGE NATIONAL LABORATORY MANAGED FOR THE DEPARTMENT OF ENERGY UNDER U.S. GOVERNMENT CONTRACT DE-AC05-00OR22725 UT-BATTELLE, LLC, Oak Ridge, Tennessee									
PROJECT NAME: NATIONAL COMPACT STELLARATOR EXPERIMENT									
VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT	OF	TYPE	CLASS		
5	X-10	5700	3	8	19	A	U		
RELEASE LEVEL Fabrication								SE120-004	REV 2



**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**



TYPICAL PORT 8A AND 8B  
SECTION PORT08-PORT08



DETAIL X  
SCALE 1.00  
SET 20-004

**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLERATOR EXPERIMENT									
VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	DATE	REVISION
5	X-10	5700	3	9	19	A	Fabrication	SE120-004	R2

8

7


6

5


4

3

2

NEXT ASS'Y:  
1 FINAL ASS'Y:

**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**




DETAIL X  
SCALE 1.00


**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:

OAK RIDGE NATIONAL LABORATORY MANAGED FOR THE DEPARTMENT OF ENERGY UNDER U.S. GOVERNMENT CONTRACT DE-AC05-00OR22725 UT-BATTELLE, LLC., OAK RIDGE, TENNESSEE									
PROJECT NAME: NATIONAL COMPACT STELLARATOR EXPERIMENT									
VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO. 5	PLANT X-10	BLDG 5700	FL 3	SHT OF 10	TYPE 19	CLASS A			
RELEASE LEVEL Fabrication							SE120-004		REV 2


FOR PARTS LIST AND NOTES SEE SHEET I.



TOP VIEW

TYPICAL PORT 10A AND 10B  
SECTION PORT10-PORT10


**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**


DETAIL X  
SCALE 1.00

**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLATOR EXPERIMENT									
VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	RELEASE DATE	REVISION
5	X-10	5700	3	II 19	A	U	Fabrication	SE120-004	RW 2








TOP VIEW



**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**

OPTIONAL WELD DETAIL

SECTION J-J  
TYP TOP AND BOTTOM

SECTION PORT12-PORT12


FOR PARTS LIST AND NOTES SEE SHEET 1.

DETAIL Y  
SCALE 1.00DETAIL X  
SCALE 1.00




**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

TYPICAL PORT 15A AND 15B  
SECTION PORT15-PORT15







Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.




**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLARATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY							
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	REV
5	X-10	5700	3	14 19	A	U	2
RELEASE LEVEL	Fabrication	SE120-004					


DETAIL X  
SCALE 1.00

SEE DRAWING SEI22-072.DRW  
FOR ADDITIONAL DETAILS FOR THE NB PORT.  
DIMENSIONS SHOWN ON DRAWING SEI22-072.DRW  
APPLY AS IF THEY WERE DETAILED ON THIS SHEET.

SEE DRAWING SEI22-172.DRW  
FOR ADDITIONAL DETAILS FOR THE NB PORT.  
DIMENSIONS SHOWN ON DRAWING SEI22-172.DRW  
APPLY AS IF THEY WERE DETAILED ON THIS SHEET.

DETAIL Y  
SCALE 1.00

**Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.**



TOP VIEW

SECTION K-K  
SCALE 0.25

SECTION PORTNB-PORTNB

**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	ITEM	REV
5	X-10	5700	3	15	19	A	Fabrication	SEI20-004	2

Oak Ridge National Laboratory  
managed for the DEPARTMENT OF ENERGY under  
U.S. GOVERNMENT contract DE-AC05-00OR22725  
UT-BATTELLE, LLC, Oak Ridge, Tennessee

8

7

6


5

4


3

2




NEXT ASS'Y: 1 FINAL ASS'Y:



TOP VIEW

TYPICAL PORT 17A AND 17B  
SECTION PORT17-PORT17

OPTIONAL WELD DETAIL

DETAIL Y  
SCALE 1.00DETAIL X  
SCALE 1.00DETAIL Z  
SCALE 1.00

Rev 2-e: ECN-5021 (RFD-12-017) approved alternate methods for welding the port extensions to the VVSA (See ECN-5021 for details). – Only applicable to VVSA #3 – VVSA #1 and #2 covered by NCR 19464.

**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLARATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	RELEASE DATE	REVISION
5	X-10	5700	3	16	19	A	Fabrication	SE120-004	R2

8

7


6

5


4

3



2

NEXT ASS'Y:  
1 FINAL ASS'Y:

TOP VIEW



TYPICAL PORT 18A AND 18B  
SECTION PORT18-PORT18

FOR PARTS LIST AND NOTES SEE SHEET I.

DETAIL X  
SCALE 1.00DETAIL Y  
SCALE 1.00

**RELEASED FOR  
FABRICATION / INSTALLATION**  
PPPL Drafting

OAK RIDGE NATIONAL LABORATORY MANAGED FOR THE DEPARTMENT OF ENERGY UNDER U.S. GOVERNMENT CONTRACT DE-AC05-00OR2725 UT-BATTELLE, LLC., OAK RIDGE, TENNESSEE									
PROJECT NAME: NATIONAL COMPACT STELLARATOR EXPERIMENT									
VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO. 5	PLANT X-10	BLDG 5700	FL 3	SHT OF 17 19	TYPE A	CLASS U			
RELEASE LEVEL Fabrication							SE120-004		REV 2



FOR PARTS LIST AND NOTES SEE SHEET I.

**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

SECTION N-N

SECTION G-G

OAK RIDGE NATIONAL LABORATORY MANAGED FOR THE DEPARTMENT OF ENERGY UNDER U.S. GOVERNMENT CONTRACT DE-AC05-00OR22725 UT-BATTELLE, LLC., OAK RIDGE, TENNESSEE									
PROJECT NAME: NATIONAL COMPACT STELLARATOR EXPERIMENT									
VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO. 34	PLANT X-10	BLDG 5700	FL 3	SHT OF 18	TYPE 19 A	CLASS U			
RELEASE LEVEL Fabrication							SE120-004		REV 2

8

7

6

5


4

3

2

1

NEXT ASS'Y: FINAL ASS'Y:



**RELEASED FOR  
FABRICATION / INSTALLATION**

PPPL Drafting:

UT-BATTELLE NATIONAL COMPACT STELLARATOR EXPERIMENT VACUUM VESSEL PERIOD INSPECTION AND LEAK CHECK ASSEMBLY									
VERSION NO.	PLANT	BLDG	FL	SHT OF	TYPE	CLASS	RELEASE LEVEL	PROJ. NO.	REV
5	X-10	5700	3	19	19	A	Fabrication	SE120-004	2